

## Synergy 21 LED Controller EOS 05 AC - Triac



RF wireless (AC in & AC out) Dim+Switch  
(for dimmable lamps & triac dimmable driver) Kompatibel mit den mono Schaltern und Fernbedieungen der EOS 05 Serie

Einzelfarben dimmbar

Mit Statusspeicher bei Stromausfall

Empfang bis zu 15 Meter Entfernung

Input: 100-240VAC

Output: 100-240VAC

2CH, 1,2A/CH, 240-560W

Sendeleistung: >5dBm

Funkfrequenz: 868,3 MHz (EU Zulassung -lizenzfrei)

Maße: 168x58x29mm

Betriebtemperatur: -20°C - +50°C

Schutzklasse: IP20

## Weitere Bilder



## Zubehör

Art.-Nr.	Name
123041	Synergy 21 LED Controller EOS 05 WLAN Controller Master Router
116368	Synergy 21 LED Controller EOS 05 Wanddimmer mono
124646	Synergy 21 LED Controller EOS 05 Wanddimmer Dreh-Dim Mono
125228	Synergy 21 LED Controller EOS 05 Handsender mono 2
125229	Synergy 21 LED Controller EOS 05 Handsender mono 3
125230	Synergy 21 LED Controller EOS 05 Wanddimmer Dreh-Dim Mono D
134501	Synergy 21 LED Retrofit R7s ww dimmbar J118
128869	Synergy 21 LED Retrofit E14 Bulb 4W ww filament dimmbar G45
128870	Synergy 21 LED Retrofit E14 Bulb 4W ww filament dimmbar G45 matt
183328	Synergy 21 Netzteil - DALI to Triac Dimmer *Tridonic*